



WPITCOM KDS Touch 421-A

Professional Android Kitchen Touch Display



Key Features

- 21,5“ IP65 / IP54 Touch Display
- RK3576S Processor
- Android 14
- 4GB / 64GB
- Stainless Steel Housing
- Easy to clean
- Fanless
- POE Option

GENERAL INFORMATION

Model	WPITCOM KDS Touch 421-A
Display Size	21,5" ELED
Max. Resolution	1920 x 1080 Pixel (16:9)
Touch	Capacitive touch screen 10 Point
View Angle	R/L 89/89, O/U 89/89
Colour	16,7 M / 75% NTSC
Orientation	Vertical / Horizontal
Contrast	3000:1
Response Time	18 ms
Brightness	250 nits (optional 300nits)
Certification	Front IP65, Back: IP54
Life Exp. (backlight)	30.000h

INTERFACES

Connectors	USB 3.0 Host x 1, USB 2.0 Host x 1
Speakers	USB-C (nur OTG), HDMI-IN 4k
RTC	4Ω 5W x 2
Camera	Battery
Network	integr.. 8 MP Camera MIPI
WLAN / WiFi	Ethernet 10/100/1000 RJ-45
Bluetooth	IEEE 802.11a/b/g/n/ac/ax (WiFi 6)
	V5.4

OPERATING SYSTEM / MEDIA

Operating System	Android 14
Processor	RK3576S Quad core cortex A53+ Quad core cortex A72
ROM / RAM	64 GB onboard, 4GB RAM onboard
Decoder-Support	Separate Format-Info available e.g.. MPEG-1,MPEG-2,MPEG-4,H.265,H.264,VP9,AV1, AVS2,MVC,AVC ,etc., support up to 4K@60fps

POWER

Powert	DC 12V 3A Adapter 1,5m
POE	Optional IEEE802.3bt, up to 60W) -AP

ENVIRONMENT

Operating Temperature	0 °C - 40 °C
Humidity (Operation)	20~80% RH (Non condensing)
Storage Temperature	-20°C---60°C
Humidity (Storage)	10~95% RH (Non condensing)

SPECIFICATIONS

Physical	Colour / Housing	Gray
Material	Stainless steel	
VESA	100*100mm/75*75mm	
G-Sensor	Support	
Certification	CE / FCC / CCC IP54 IP65	

Hyundai ITMC is a registered trademark of ITMediaConsult AG. All other trademarks are the property of their respective manufacturers. We reserve the right to make changes and errors. Please update your existing product information before placing your order. This product information does not constitute a performance guarantee.

Master imaging, setup & customizing, individual laserengraving with company names and inventory numbering on request, customer-specific hardware adaptation possible for bulk purchases. All systems have the necessary certifications required in the EU.

Specifications may be changed without prior notice. Please update your specification before purchasing the product.

Rev 1 – 2026/01/23



<https://www.wpitcom.com>

WPITCOM S.A.
Guatemala C.A.

WPITCOM (USA) LLC
Austin Texas, USA

E-Mail (GT):
ventas@wpitcom.com

E-Mail (USA):
sales@wpitcom.com

More information:

www.wpitcom.com
shop.wpitcom.com





WPITCOM KDS Touch 421-A

Professional Android Kitchen Touch Display



Easy to clean



Scratch-proof



Corrosion-resistant



Impact-resistant



More eco-friendly




Advanced Protection



10-Point Capacitive Touch

Responsive 10-point multi-touch technology enables intuitive ordering and interface navigation even when wearing gloves or with wet hands, ensuring flexible operation in any situation.



Portrait/Landscape Orientation Switch

Use landscape mode for menu display, or rotate 90 degrees to switch to portrait mode during ordering. Gravity sensing enables seamless switching between landscape and portrait orientations.



High-Definition Camera

Equipped with an 8-megapixel (MP) camera, the KDS allows you to monitor your kitchen environment under control, seamlessly combining ordering, dishes, and security monitoring.

WiFi 6E

WiFi 6E WITH MU-MIMO TECHNOLOGY

Faster And Smoother.

KDS powered by WiFi-6 brings a new era of kitchen efficiency. High-speed, low-latency network connections ensure every order is synchronized in real time, with instant updates on the display. Even during peak hours, the kitchen remains stable and efficient, so dishes are prepared on time without delay.

Supports Google EDLA

Built-in Google EDLA certification support enables secure control and permission management for app installation and content delivery. It effectively prevents risks such as unauthorized app execution and content tampering, making it particularly suitable for unified management of multiple devices in chain restaurant settings. This solution enhances security and operational efficiency for bulk device management.



Specifications may be changed without prior notice. Please update your specification before purchasing the product.

Rev 1 – 2026/01/23



<https://www.wpitcom.com>

WPITCOM S.A.
Guatemala C.A.

WPITCOM (USA) LLC
Austin Texas, USA

E-Mail (GT):
ventas@wpitcom.com

E-Mail (USA):
sales@wpitcom.com

More information:

www.wpitcom.com
shop.wpitcom.com






WPITCOM KDS Touch 421-A

Professional Android Kitchen Touch Display

TECHNICAL DATA

LCD Display / Module Units : mm

21,5" (Alternative display sizes available: 15,6" | 23,8")



Optional Mouting Solutions (to be order separately)



-WM



-RA



-PM

Hyundai ITMC is a registered trademark of ITMediaConsult AG. All other trademarks are the property of their respective manufacturers. We reserve the right to make changes and errors. Please update your existing product information before placing your order. This product information does not constitute a performance guarantee.

Master imaging, setup & customizing, individual laserengraving with company names and inventory numbering on request, customerspecific hardware adaptation possible for bulk purchases. All systems have the necessary certifications required in the EU.

Specifications may be changed without prior notice. Please update your specification before purchasing the product.

Rev 1 – 2026/01/23